

Gabi Ben-Dor  
Oren Sadot  
Ozer Igra *Editors*

# 30th International Symposium on Shock Waves 2

ISSW30 – Volume 2

---

# 30th International Symposium on Shock Waves 2

---

Gabi Ben-Dor • Oren Sadot • Ozer Igra  
Editors

# 30th International Symposium on Shock Waves 2

ISSW30 - Volume 2

 Springer

*Editors*

Gabi Ben-Dor  
Department of Mechanical Engineering  
Ben-Gurion University of the Negev  
Beer Sheva, Israel

Oren Sadot  
Department of Mechanical Engineering  
Ben-Gurion University of the Negev  
Beer Sheva, Israel

Ozer Igra  
Department of Mechanical Engineering  
Ben-Gurion University of the Negev  
Beer Sheva, Israel

ISBN 978-3-319-44864-0      ISBN 978-3-319-44866-4 (eBook)  
DOI 10.1007/978-3-319-44866-4

Library of Congress Control Number: 2017936744

© Springer International Publishing AG 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature  
The registered company is Springer International Publishing AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

<b>Heat Conduction: Hyperbolic Self-Similar Shock-Waves in Solids . . . . .</b>	927
I.F. Barna and R. Kersner	
<b>Compression, Rarefaction, and Failure Waves in Silicate Glasses . . . . .</b>	933
G.I. Kanel, A.S. Savinykh, and S.V. Razorenov	
<b>A Study of Mass Loss at Hypervelocity Impacts of Projectiles with Single- and Multilayer Targets . . . . .</b>	939
A.D. Devir, A.B. Lessin, and A. Vaynshtein	
<b>The Head-On Collision of Normal Shock Waves with a Concrete Supported Plate . . . . .</b>	945
Gedalya Mazor, Dmitry Nemirovsky, and Uri Tzadka	
<b>Mechanisms of Stress Relaxation and Failure in Metals Under Shock Compression . . . . .</b>	949
Yu. Bayandin, O. Naimark, and N. Saveleva	
<b>Part XVI Shock Waves in Liquids</b>	
<b>Propagation of Pressure Waves in Compression System Prototype for Magnetized Target Fusion Reactor in General Fusion Inc. . . . .</b>	955
V. Suponitsky, D. Plant, E.J. Avital, and A. Munjiza	
<b>Intense Shock Wave Through Water and Impulse Transmission in Submerged Structure . . . . .</b>	961
Nilanjan Mitra	
<b>The Motion of a 2 mm Tantalum Block Induced by Underwater Explosion . . . . .</b>	965
T. Koita, T. Gonai, M. Sun, S. Owada, and T. Nakamura	
<b>On the Refraction of Shock Wave by a Cylindrical Water Droplet . . . . .</b>	971
S. Sembian, M. Liverts, N. Tillmark, and N. Apazidis	
<b>Fluid Rheology Effect on Wave Attenuation in an Elastic Pipe . . . . .</b>	977
S. Levitsky and R. Bergman	
<b>A Summary of the Experiments of Shock/Bubble Interactions Performed in IFS Since 1980 . . . . .</b>	983
K. Takayama	
<b>Analysis of Bubble Dynamics Created by Ballistic Impacts in Liquid-Filled Tanks . . . . .</b>	987
Thomas Fourest, Jean-Marc Laurens, Eric Deletombe, Jacques Dupas, and Michel Arrigoni	
<b>Air–Water Interface Jetting Induced by Explosion Load . . . . .</b>	991
Guifu Zhang, Yujian Zhu, and Jiming Yang	
<b>Part XVII Shock Waves in Dense Gases</b>	
<b>Shock Wave Attenuation in Milli- or Microtubes for Laminar and Turbulent Flow Regime . . . . .</b>	999
David E. Zeitoun	
<b>Comparison of BKW and JWL Equations of State for Explosion Simulations . . . . .</b>	1003
S. Amar, E. Kochavi, Y. Lefler, S. Vaintraub, and D. Sidilkover	

# Heat Conduction: Hyperbolic Self-Similar Shock-Waves in Solids

I.F. Barna and R. Kersner

**PACS numbers: 44.90.+c, 02.30.Jr**

In contemporary heat transport theory (ever since Maxwell's paper [1]) it is widely accepted in the literature that only for stationary and weakly non-stationary temperature fields the constitutive equation assumes that a temperature gradient  $\nabla T$  instantaneously produces heat flux  $\mathbf{q}$  according to the Fourier law

$$\mathbf{q}(\mathbf{x}, t) = -\kappa \nabla T(\mathbf{x}, t). \quad (1)$$

Combining this equation with the energy conservation law the usual parabolic heat conduction equation is given. Heat conduction mechanisms can be classified via the temperature dependence of the coefficient  $\kappa \sim T^\nu$ . There are three different cases of thermal conductivity, normal heat conduction which obeys the Fourier law ( $\nu = 0$ ), slow ( $\nu > 0$ ) and fast heat conduction  $-2 < \nu < 0$ .

In plasma physics if the temperature range is between  $10^5$  and  $10^8$  K, then the coefficient of the heat conductivity  $\kappa$  depends on the temperature and density of the material. The heat conductivity is usually assumed to have the following power dependence  $\kappa = \kappa_0 T^\nu v^\mu$  where  $v = 1/\rho$  is the specific volume the coefficient  $\kappa_0$  and the exponents  $\nu, \mu$  depend on the heat conduction mechanism [2]. With radiation heat conduction one has  $4 \leq \nu \leq 6$ ,  $1 \leq \mu \leq 2$ ; with electron heat conduction and fully ionized plasma  $\nu = 5/2$ ,  $\mu = 0$ . For magnetically confined non-neutral plasma the classical heat conduction coefficient is the following [3]  $\kappa \approx \frac{c_1}{\sqrt{T}} \ln[c_2 T^{3/2}]$ . Parabolic thermal wave theory is based

on this approach [2, 4]. In plasmas heat conduction is strongly coupled to flow properties which we will not consider in the following. The linear parabolic theory predicts infinite speed of propagation which is known as the "paradox of heat conduction" (PHC). The following two theories resolve this contradiction.

However, if the time scale of local temperature variation is very small, Eq. (1) is replaced by

$$\mathbf{q}(\mathbf{x}, t + \tau) = -\kappa \nabla T(\mathbf{x}, t) \quad (2)$$

where  $\tau$  is called the thermal relaxation time. This is a thermodynamic property of the materials which was determined experimentally for large number of materials. Although  $\tau$  turns out to be very small in many instances, e.g. is of order of picoseconds for most metals, there are several materials where this is not the case, most notably sand (21 s), H acid (25 s),  $\text{NaHCO}_3$  (29 s), and biological tissue (1–100 s) [5].

Unlike the Fourier's heat conduction law, this constitutive equation is non-local in time. The desired local character can be restored with the Taylor expansion of  $\mathbf{q}$  by time which is usually truncated at the first order, namely

$$\mathbf{q}(\mathbf{x}, t) + \tau \frac{\partial \mathbf{q}(\mathbf{x}, t)}{\partial t} = -\kappa \nabla T(\mathbf{x}, t). \quad (3)$$

This is the well-known Cattaneo heat conduction law [6], the second term on the left-hand side is known as the "thermal inertia." (Unfortunately, this form is not Galilean invariant, and gives a paradoxical results if the media is in motion, this problem was eliminated in by [7].) Combining this constitutive equation with the energy conservation yields the hyperbolic telegraph heat conduction equation where  $\tau$  and  $\kappa$  are constants. Hyperbolic equations usually ensure finite propagation velocity. Unfortunately, telegraph equations have no self-similar solutions which would be a desirable physical property. In the work of [8] a non-autonomous telegraph-type heat conduction equation is presented with self-similar

I.F. Barna (✉)

Wigner Research Centre of the Hungarian Academy of Sciences,  
P.O. Box 49, H-1525 Budapest, Hungary  
e-mail: [barna.imre@wigner.mta.h](mailto:barna.imre@wigner.mta.h)

R. Kersner

Departement of Mathematics, University of Pécs,  
Boszorkány u 2, H-7624, Pécs, Hungary

non-oscillating compactly supported solutions. A review with a large number of physical models of heat waves can be found in [5, 9]. A recent work on the speed of heat waves was published by Makai [10].

Our starting point is the following:

$$q_t = -\frac{q}{\tau} - \frac{\kappa}{\tau} T_r, \quad (4)$$

$$c_0 T_t = -q_r - \frac{q}{r}. \quad (5)$$

The first equation of the system is the generalized Fourier–Cattaneo heat conduction law and the second one is the energy conservation condition for the radial coordinate. The heat flux  $q = q(r, t)$  and the temperature dependence  $T = T(r, t)$  have radial coordinate and time dependence. The subscripts  $r$  and  $t$  notate the partial derivatives with respect to the radial coordinate and the time, respectively. (From now on we investigate the radial coordinate of a cylindrical symmetric problem as spatial dependence.) The parameter  $c_0 = \rho c$  where  $\rho$  is the mass density and  $c$  is the specific heat. Second order effects such as compressibility are neglected ( $\rho$  and  $c$  are constants during the process).

In the following we shall suppose that the heat conduction coefficient and the thermal relaxation depend on temperature in the following way:

$$\kappa = \kappa_0 T^\omega, \quad \tau = \tau_0 T^{-\epsilon}. \quad (6)$$

The  $\kappa_0$  and  $\tau_0$  are real numbers with the proper physical dimensions. Now our dimensionless system reads

$$q_t = -T^\epsilon q - T^{\epsilon+\omega} T_r, \quad (7)$$

$$T_t = -q_r - \frac{q}{r}. \quad (8)$$

There are various phenomenological heat conduction laws available for all kind of solids, without completeness we mention some well-known examples. For pure metals according to [11] (P. 275 Eq. (3)) the Wiedemann–Franz law the thermal conductivity is proportional with the electrical conductivity  $\sigma$  times the temperature  $\kappa = \sigma L T$ . The proportionality constant  $L$  is the so-called Lorentz number with the approximate numerical value of  $2.44 \times 10^{-8} \text{ W}\Omega \text{ K}^{-2}$ . For exact numerical data for various metals see [12]. The relaxation time  $\tau$  is proportional to the heat conduction coefficient divided by the temperature. For metals with impurities the thermal resistivity (inverse of the thermal conductivity) is  $\kappa^{-1} = AT^2 + BT^{-1}$  where  $A$  and  $B$  can be obtained from microscopic calculation based on quantum mechanics [11] (P. 297 Eq. (11)).

A hard-sphere model for dense fluids from [13] derives a relation where the heat flux  $q(x, t) = a \nabla T(x, t) + q^2(x, t)$

which certainly means a nonlinear heat propagation process. For the heat conduction in nanofluid suspensions [14] derives the  $\kappa \approx c/(T_2 - T_1)$  law with additional time dependence. Another exotic and very promising new materials are the carbon nanotubes which have exotic heat conduction properties. Small et al. [15] performed heat conductivity measurements and found that at low temperatures there are two distinct regimes  $\kappa(T) \sim T^{2.5}$  ( $T < 50 \text{ K}$ ) and  $\kappa(T) \sim T^2$  ( $50 < T < 150 \text{ K}$ ). Beyond this regime there is a deviance from this quadratic temperature dependence and the maximum  $\kappa$  value lies at 320 K. Above this value—at large temperatures—there is a  $\kappa(T) \sim 1/T$  dependence according to [16]. Additional nanoscale systems (like silicon films, or multiwall carbon nanotubes) have exotic temperature dependent heat conduction coefficients as well, for more see [17]. For encased graphene the heat conduction coefficient is  $\kappa \sim T^\beta$  where  $1.5 < \beta < 2$  at low temperature ( $T < 150 \text{ K}$ ) [18]. A recent review of thermal properties of graphene and nanostructured carbon materials can be found in [19].

Our model is presented to describe the heat conduction of any kind of solid state without additional restrictions, therefore room or even higher temperature can be considered with large negative  $\omega$  exponents.

Even from these examples we can see that it has a need to investigate the general heat conduction problem, where the coefficients have general power law dependence.

We look for the solutions of (7) and (8) in the most general self-similar form

$$T = t^{-\alpha} f(\eta), \quad q = t^{-\delta} g(\eta). \quad (9)$$

For a better transparency in the following we introduce a new variable  $\eta = \frac{r}{t^\beta}$ , where  $\alpha, \beta, \delta$  are all real numbers.

The similarity exponents  $\alpha, \delta$ , and  $\beta$  are of primary physical importance since  $\alpha, \delta$  represent the rate of decay of the magnitude  $T$  or  $q$ , while  $\beta$  is the rate of spread (or contraction if  $\beta < 0$ ) of the space distribution as time goes on. Self-similar solutions exclude the existence of any single time scale in the investigated system.

We substitute (9) into (7) and (8). It can be checked that

$$\alpha = \frac{1}{\omega + 1}, \quad \beta = \frac{1}{2(\omega + 1)}, \quad \delta = \frac{2\omega + 3}{2(\omega + 1)}, \quad \epsilon = \omega + 1. \quad (10)$$

We can obtain the following ordinary differential equation (ODE) system for the shape functions  $f$  and  $g$  the following ordinary differential equation (ODE) system

$$\delta g + \beta \eta g' = g f^{\omega+1} + f^{2\omega+1} f', \quad (11)$$

$$(\eta g)' = \beta(\eta^2 f)' \quad (12)$$

where prime means derivation with respect to  $\eta$ .

The first lucky moment is that (12) relates  $f$  and  $g$  in a simple way

$$g = \beta \eta f \quad (13)$$

if the  $\alpha = 2\beta$  universality relation is fulfilled.

Note that we can immediately read how the self-similar solutions of the temperature distribution  $T$  and the heat flux  $q$  depend on  $\omega$

$$T = t^{\frac{-1}{\omega+1}} f\left(\frac{r}{t^{\frac{1}{2(\omega+1)}}}\right), \quad q = t^{\frac{2\omega+3}{2(\omega+1)}} g\left(\frac{r}{t^{\frac{1}{2(\omega+1)}}}\right). \quad (14)$$

The parameter dependence of the complete heat conduction coefficient and relaxation time can be expressed via  $\omega$  as well

$$\kappa = \kappa_0 t^{\frac{-\omega}{\omega+1}} f^\omega\left(\frac{r}{t^{\frac{1}{2(\omega+1)}}}\right), \quad \tau = \kappa_0 t^{-1} f^{\omega+1}\left(\frac{r}{t^{\frac{1}{2(\omega+1)}}}\right). \quad (15)$$

Recall that  $\omega > -1$ . These are already very informative and useful relations to investigate the global properties of the solutions, note that such kind of analysis are available for large number of complex mechanical and flow problems [20].

Substituting these relations back to Eq. (11) after some algebra we arrive at the following nonlinear first-order ODE

$$\frac{df}{d\eta^2} (\beta^2 \eta^2 - f^{2\omega+1}) = \frac{\beta f}{2} [f^{\omega+1} - (2\beta + 1)]. \quad (16)$$

Put  $y = \eta^2$  and  $x = f$ . With this notation Eq. (16) becomes linear for  $y(x)$  (this is the second lucky moment of investigation):

$$\frac{dy}{dx} = \frac{y(x) - 4(\omega + 1)^2 x^{2\omega+1}}{x[(\omega + 1)x^{\omega+1} - \omega - 2]}. \quad (17)$$

Plainly,  $f \equiv 0$  is a solution to Eq. (16). If  $y(x)$  the solution of Eq. (17) is strictly monotonic, then so is the inverse function  $f = x$  and no discontinuity. However if  $y(x)$  is not monotonic on some interval  $(x_1, x_2)$  and has a turning point at  $x_0 \in (x_1, x_2)$ , then the inverse ( $f = x$ ) has sense on  $[0, y(x)]$  only. One sets  $f = 0$  for  $y > y(x_0)$  and the discontinuity at  $y(x_0)$  is apparent. The analytical investigation of the linear equation (17) is in

general easier than of Eq. (16). In some cases (for some  $\omega$ s) one can have more explicit or almost explicit solutions.

There are two examples:

The first case is for  $\omega = 0$ , ( $\alpha = 1$ ,  $\beta = 1/2$ ,  $\delta = 3/2$ ,  $\varepsilon = 1$ ).

This example was studied by Wilhelm and Choi [21] in some detail. The corresponding ODE (17) reads  $y' = (y - 4x)/x(x - 2)$  which has a solution  $y = 8 + [(x - 2)/x]^{1/2} [c_1 - 8 \ln(\sqrt{x} + \sqrt{x - 2})]$  where  $c_1$  is a constant.

It is clear that must be  $x \geq 2$  and  $y(x)$  is monotonic for  $x > 2$  until  $x_0$  where  $y = 0$ . This means that  $x(y)$  exists and monotonic on some interval  $[0, y_0]$ ,  $x(y_0) = 2$ ; for  $y \geq y_0$  we have  $x(y) = 0$  so the discontinuity. For a better understanding Fig. 1a presents the graph of solution of Eq. (17) through the point (3, 0.5). The inverse of this function for  $x > 2$  is shown in Fig. 1b (the nonzero part). The solid line is a solution through the  $f(0) = 10.8$  point. Figure 2 presents the shock-wave propagation of the temperature distribution  $T(r, t)$  for  $\omega = 0$ .

The second case is for  $\omega = -1/2$ , ( $\alpha = 2$ ,  $\beta = 1$ ,  $\delta = 2$ ,  $\varepsilon = 1/2$ ).

Now Eq. (17) takes the form of  $\frac{dy}{dx} = 2(y - 1)/[x(\sqrt{x} - 3)]$ . It can be checked that  $y = c_2 x^{-2/3} (x^{1/2} - 3)^{4/3}$  is a solution for any  $c_2 > 0$ . Take  $c_2 = 1$ . The function  $y(x)$  is monotonic on  $(0, 9)$ ,  $y(9) = 0$ . Returning to original variables we have  $f = 9/[(\eta^2)^{3/4} + 1]^2$  (which is plainly less than 9!) According to Eq. (14) temperature and heat flux distributions are


$$T = \frac{9t}{(r^{3/2} + t^{3/2})^2}, \quad q = \frac{9r}{(r^{3/2} + t^{3/2})^2}. \quad (18)$$

These solutions are not discontinuous. Analytical and numerical calculus suggest that  $\omega = -1/2$  is a critical exponent: for  $-1 < \omega \leq -1/2$  the solutions are continuous, for  $\omega > -1/2$  the shocks always appear.

#### In Summary


We presented a hyperbolic model for heat conduction in solids where the relaxation time and heat conduction coefficient is a power law function of time. There are basically two different regimes available for different power laws. For  $1 < \omega \leq -1/2$  the solutions are continuous for all positive time and radial coordinate, for  $\omega > -1/2$  the solutions are only continuous on a finite and closed  $[0: \eta_0]$  interval and have a finite jump at the endpoint  $\eta_0$ . For physical interpretation of our results we presented numerous materials and solid state systems with temperature dependent heat conduction coefficients.





**Fig. 1** The direction field of (a) Eq. (17) for  $\omega = 0$  and (b) Eq. (16) for  $\omega = 0$ . The solid line presents numerical solutions for (a)  $y(3) = 0.5$  and for (b)  $f(0) = 10.8$ .

**Fig. 2** The shock-wave propagation of the temperature distribution of  $T(r, t)$  for  $\omega = 0$



The paper is dedicated to Annabella Barna who was born on 20th of December 2011.

## References

1. Maxwell, J.C.: Philos. Trans. R. Soc. Lond. **157**, 49 (1867)
2. Zel'dovich, Ya.B., Raizer, Yu.P.: Physics of Shock Waves and High-Temperature Hydrodynamic Phenomena. Academic, New York (1966)
3. Dubin, D.H.E., O'Neil, T.M.: Phys. Rev. Lett. **78**, 3868 (1997)
4. Zeldovich, Y.B., Kompaneets, A.S.: Collection Dedicated to the 70th Birthday of A.F. Joffe. Izdat. Akad. Nauk SSSR, 61 (1950)
5. Chandrasekharaiah, D.S.: Appl. Mech. Rev. **39**, 355 (1986); *ibid* **51**, 705 (1989)
6. Cattaneo, C.: Sulla conduzione del calore Atti. sem Mat. Fis. Univ. Modena **3**, 83 (1948)
7. Christov, C.I., Jordan, P.M.: Phys. Rev. Lett. **94**, 154301 (2005)
8. Barna, I.F., Kersner, R.: J. Phys. A Math. Theor. **43**, 375210 (2010); Adv. Studies Theor. Phys. **5**, 193 (2011)
9. Joseph, D.D., Preziosi, L.: Rev. Mod. Phys. **61**, 41 (1989); *ibid* **62**, 375 (1990)
10. Makai, M.: Eur. Phys. Lett. **96**, 40010 (2011)

11. Jones, H.: *Handb. Phys.* **19**, 227 (1956)
12. Ashcroft, N.W., Mermin, D.N.: *Solid State Physics*. Thomson Learning Inc., New York (1976)
13. Nettleton, R.E.: *J. Phys. A: Math. Gen.* **20**, 4017 (1987)
14. Vadasz, P.: *J. Heat Transf.* **128**, 465 (2006)
15. Small, J.P., Shi, L., Kim, P.: *Solid. State. Commun.* **127**, 181 (2003)
16. Berber, S., Kwon, Y.-K., Tománek, D.: *Phys. Rev. Lett.* **84**, 4613 (2003)
17. Cahill, D.G., et al.: *J. Appl. Phys.* **93**, 793 (2003)
18. Jang, W., et al.: *Nano. Lett.* **10**, 3909 (2010)
19. Balandin, A.A.: *Nat. Mater.* **10**, 569 (2011)
20. Sedov, L.: *Similarity and Dimensional Methods in Mechanics*. CRC Press, Boca Raton (1993)
21. Wilhelm, H.E., Choi, S.H.: *J. Chem. Phys.* **63**, 2119 (1975)